



# Simran Tools International

664, Military Road, Anand Parbat, New Delhi – 1100 05 (India).

E-mail : simrantools@vsnl.net  
E-mail : info@simrantools.com  
Website : www.simrantools.com

Mobile : 91-9313811414  
Phone : 91-11-32913249  
Fax : 91-11-25861340

## Lubrications Equipments

1. Oil Cans (WS Type & PT Type)
2. Oil Cans (Pistol & Snap Type)
3. Grease Guns - Lever Type
4. Grease Guns – Lever Type (Cast Head & Steel Head)
5. Grease Guns – Pistol Type
6. Grease Guns – Push Type & Mini Lever Type
7. Suctions Guns & Oil Guns
8. Hand Rotary Pump / Barellel Pump
9. Grease Cups (Nut Type)
10. Grease Cups (Motto Type)
11. Spring Lid Oil Cups And Elbow Oilers
12. Spring Lid Small Oilers
13. Drop Sight Feed Oil Lubrications
14. Oil Hole Cover (Drive Fit)
15. Couplers
16. Press Button Oiler (Drive Fit)
17. Pin Type Grease Nipples

### 1. OIL CANS - ( WS Type & PT Type )

#### A. OIL CANS (WS TYPE)



- Metal body Oil Cans with pressure pumps.
- Sturdy construction from Heavy Gauge Tin Plates.

WITH RIGID SPOUT	WITH FLEXIBLE SPOUT	CAPACITY PINT
ITEM NO.	ITEM NO.	
SWS-3551	SWS-3561	1/4
SWS-3552	SWS-3562	1/2
SWS-3553	SWS-3563	3/4
SWS-3554	SWS-3564	1
SWS-3555	SWS-3565	1-1/2
SWS-3556	SWS-3566	2



## B. OIL CANS (PT TYPE)



- Metal body Oil Cans with pressure pumps.

WITH RIGID SPOUT	WITH FLEXIBLE SPOUT	CAPACITY MLS
ITEM NO.	ITEM NO.	
SWS-3571	SWS-3581	200
SWS-3572	SWS-3582	300
SWS-3573	SWS-3583	400
SWS-3574	SWS-3584	500
SWS-3575	SWS-3585	700
SWS-3576	SWS-3586	1000

## 2. OIL CANS - ( Pistol Type & Snap Type )

### A. OIL CANS - PISTOL TYPE



WITH RIGID SPOUT	WITH FLEXIBLE SPOUT	CAPACITY	
ITEM NO.	ITEM NO.	PINT	MLS
SPT-3591	SPT-3592	1/4	125

### B. OIL CANS - SNAP TYPE



ITEM NO.	CAPACITY
	MLS
SST-3595	150
SST-3596	250



### 3. GREASE GUNS - LEVER TYPE

#### A. GREASE GUN - LEVER TYPE



- Italian Model
- CAPACITY : 500 gm

ITEM NO. - SGG-3610


#### B. GREASE GUN - LEVER TYPE



- CAPACITY : 450 Gm / 15 Oz.
- Cat Filling.
- With Fix Spout and Coupler.

ITEM NO. - SGG-3612

#### C. GREASE GUN - LEVER TYPE (HEAVY)



- CAPACITY : 450 Gm.
- Cat Filling.
- With Fix Spout and Coupler.


ITEM NO. - SGG-3614

#### D. GREASE GUN - LEVER TYPE



- CAPACITY : 20 Oz.
- 3-Way Loading Bulk, Filler Nipple or Cartridge

ITEM NO. - SGG-3616



## E. GREASE GUN LEVER TYPE



- CAPACITY : 32 Oz.
- With Fix Spout and Coupler

ITEM NO. - SGG-3618

## F. GREASE GUN LEVER TYPE



- CAPACITY : 10 Oz.
- With Fix Spout and Coupler

ITEM NO. - SGG-3620

## G. GREASE GUN VARIABLE STROKE ( HEAVY DUTY )



- CAPACITY : 15 Oz.

ITEM NO. - SGG-3622


## 4. GREASE GUNS - LEVER TYPE ( CAST HEAD & STEEL HEAD)

### A. GREASE GUN - LEVER TYPE ( With Cast Head )



- CAPACITY : 8 Oz.
- With Fix Spout and Coupler.

ITEM NO. - SLT-3630



## B. GREASE GUN - LEVER TYPE ( With Cast Head )



- CAPACITY : 300 Gm / 10 Oz.
- With Fix Spout and Coupler.

ITEM NO. - SLT-3632

## C. GREASE GUN - LEVER TYPE (Cast Head )



- CAPACITY : 15 Oz.
- With Fix Spout and Coupler.

ITEM NO. - SLT-3634

## D. GREASE GUN - LEVER TYPE (Heavy) (Cast Head)



- CAPACITY : 15 Oz.


ITEM NO. - SLT-3636

## E. GREASE GUN - LEVER TYPE ( Steel Head )



- CAPACITY : 450 Gm / 15 Oz.
- Wrinkle White.

ITEM NO. - SLT-3638



## F. GREASE GUN - LEVER TYPE (Steel Head)



- **CAPACITY : 500 Gm.**
- **With Fix Spout and Coupler.**

ITEM NO. - SLT-3640

## G. GREASE GUN LEVER TYPE ( All Die Cast Head )



- **CAPACITY : 15 Oz.**
- **3 – Way Loading Bulk, Filler Nipple or Cartridge.**
- **With Fix Spout and Coupler.**

ITEM NO. - SLT-3642

## 5. GREASE GUNS - PISTOL TYPE

### A. GREASE GUN - PISTOL TYPE (Aluminum Die Cast Head)



- **CAPACITY : 400 Gm.**
- **With Fix Spout and Coupler.**
- **Eject in Grease 90° & 180°.**


ITEM NO. - SPT-3650

### B. GREASE GUN - PISTOL TYPE (Mini)



- **CAPACITY : 3 Oz.**

ITEM NO. - SPT-3652



## C. GREASE GUN - PISTOL TYPE ( DELUXE )



- CAPACITY : 3 Oz.
- With Fix Spout and Coupler.
- Eject in Grease 90° & 180°.

ITEM NO. - SPT-3654

## 6. GREASE GUNS - PUSH TYPE & MINI LEVER TYPE

### A. GREASE GUN – PUSH TYPE



ITEM NO.	CAPACITY
SPT-3661	4 oz
SPT-3662	8 oz

### B. GREASE GUN – LEVER TYPE (Mini)



- CAPACITY : 4 Oz

ITEM NO. - SLM-3665

## 7. SUCTION GUNS & OIL GUNS

### A. SUCTION GUN



- CAPACITY : 12 Oz
- Use of any kind corrosive Lubricants

ITEM NO. - SOG-3670



## B. SUCTION GUN



- CAPACITY : 16 Oz
- Use of any kind non corrosive Lubricants

ITEM NO. - SOG-3672

## C. OIL GUN



- CAPACITY : 8 Oz

ITEM NO. - SOG-3674

## 8. HAND ROTARY PUMP / BARELLEL PUMP

### A. HAND ROTARY PUMP



- Pump & pipe are packed separately in same carton box.


ITEM NO.	OUT LET CAPACITY	
	INCH	MM
SRP-3685	3/4	19
SRP-3686	1	25
SRP-3687	1-1/2	38

### B. BARREL PUMP ( Light Duty )



- Simple Barrel Pump with Locking Device.
- 1-1/2" Suction Pipe ERW quality in 16 SWG.

ITEM NO. - SRP-3690



## 9. GREASE CUPS ( NUT TYPE )



ITEM NO.	THREAD SPECIFICATION
SNC-3701	No. 1 x 1/8" B.S.P.
SNC-3702	No. 2 x 1/8" B.S.P.
SNC-3703	No. 3 x 1/8" B.S.P.
SNC-3704	No. 4 x 1/4" B.S.P.
SNC-3705	No. 5 x 1/4" B.S.P.
SNC-3706	No. 6 x 1/4" B.S.P.
SNC-3707	No. 7 x 3/8" B.S.P.
SNC-3708	No. 8 x 3/8" B.S.P.

## 10. GREASE CUPS ( MOTO TYPE )



ITEM NO.	THREAD SPECIFICATION
SMC-3715	No. 1 x 1/8" B.S.P.
SMC-3716	No. 2 x 1/4" B.S.P.
SMC-3717	No. 3 x 1/4" B.S.P.
SMC-3718	No. 4 x 1/4" B.S.P.
SMC-3719	No. 5 x 1/4" B.S.P.
SMC-3720	No. 6 x 1/4" B.S.P.
SMC-3721	No. 7 x 3/8" B.S.P.
SMC-3722	No. 8 x 3/8" B.S.P.



## 11. SPRING LID OIL CUPS AND ELBOW OILERS



ITEM NO.	THREAD SPECIFICATION	ITEM NO.	THREAD SPECIFICATION	SIZE
SEO-3731	1/8" B.S.P.	SEO-3751	3/8" B.S.W.	1/2" DIA.
SEO-3732	1/8" B.S.P.	SEO-3752	3/8" B.S.W.	5/8" DIA
SEO-3733	1/8" B.S.P.	SEO-3753	3/8" B.S.W.	3/4" DIA
SEO-3734	1/4" B.S.P.	SEO-3754	1/2" B.S.W.	3/4" DIA
SEO-3735	1/8" B.S.P.	SEO-3755	3/8" B.S.W.	7/8" DIA
SEO-3736	1/4" B.S.P.	SEO-3756	1/2" B.S.W.	7/8" DIA
SEO-3737	1/8" B.S.P.	SEO-3757	3/8" B.S.W.	1" DIA
SEO-3738	1/4" B.S.P.	SEO-3758	1/2" B.S.W.	1" DIA
SEO-3739	1/4" B.S.P.	SEO-3759	1/2" B.S.W.	1-1/4" DIA
SEO-3740	1/4" B.S.P.	SEO-3760	1/2" B.S.W.	1-1/2" DIA
SEO-3741	1/4" B.S.P.	SEO-3761	1/2" B.S.W.	2" DIA

## 12. SPRING LID SMALL OILERS



- Small oilers with a spring loaded cap to keep out dust.

ITEM NO.	THREAD SPECIFICATION
SSO-3775	1/4" 32 T.P.I.
SSO-3776	3/8" 24 T.P.I.
SSO-3777	1/8" B.S.P.
SSO-3778	7/16" 24 T.P.I.
SSO-3779	5/16" 32 T.P.I.
SSO-3780	1/2" 24 T.P.I.



### 13. DROP SIGHT FEED OIL LUBRICATION



- Conventional Gun Metal drop feed oiler.

SMALL ITEM NO.	THREAD SPECIFICATION	BIG ITEM NO.	THREAD SPECIFICATION	SIZE MM	CAPACITY ML
SDL-3785	1/8" B.S.P.	SDL-3795	1/4" B.S.P.	30	20
SDL-3786	1/8" B.S.P.	SDL-3796	1/4" B.S.P.	40	50
SDL-3787	1/4" B.S.P.	SDL-3797	3/8" B.S.P.	52	100
SDL-3788	1/4" B.S.P.	SDL-3798	3/8" B.S.P.	62	170
SDL-3789	3/8" B.S.P.	SDL-3799	1/2" B.S.P.	77	320
SDL-3790	3/8" B.S.P.	SDL-3800	1/2" B.S.P.	88	500

### 14. OIL HOLE COVER ( DRIVE FIT )



- Small oil covers with spring lids
- Size indicates the diameter of drive fit portion
- 1/4" Oil hole cover does not contain strainer.

ITEM NO.	THREAD SPECIFICATION
SHC-3811	1/4"
SHC-3812	5/16"
SHC-3813	3/8"
SHC-3814	7/16"



## 15. COUPLERS

### A. HYDRAULIC COUPLERS



- Standard hydraulic coupler available in light and heavy duty with 1/8" BSPT, M10 or NPT Threads.

WITH BSPT THREAD	WITH M10 THREAD	WITH NPT THREAD	NO. OF JAWS	USAGE
ITEM NO.	ITEM NO.	ITEM NO.		
SHC-3825	SHC-3835	SHC-3845	3	Light Duty
SHC-3826	SHC-3836	SHC-3846	4	Light Duty
SHC-3827	SHC-3837	SHC-3847	3	Heavy Duty
SHC-3828	SHC-3838	SHC-3848	4	Heavy Duty

### ( B ) HYDRAULIC FLEXIBLE CONNECTORS / Z TYPE COUPLER



- Special swivel connector for connecting lines at various angles.
- Available with 1/4" x 1/4" BSP AND 1/4" x 1/4" NPT Thread.


ITEM NO.	THREAD SPECIFICATION
HFC-3851	1/4 " X 1/4" B.S.P.
HFC-3852	1/4 " X 1/4" N.P.T.

### (C) HYDRAULIC COUPLER - PIN TYPE



- Hydraulic coupler heavy duty with locking system.
- Most suitable for attaching to grease nipples.

ITEM NO.	THREAD SPECIFICATION
SPT-3855	1/8" B.S.P.
SPT-3856	M 10
SPT-3857	N.P.T.



## 16. PRESS BUTTON OILER ( DRIVE FIT )



- Small spring loaded press button oilers.

ITEM NO.	THREAD SPECIFICATION
SBO-3871	3/16"
SBO-3872	1/4"
SBO-3873	5/16"
SBO-3874	3/8"

## 17. PIN TYPE GREASE NIPPLES



- Fitted with non return valve.
- Suitable for fitting on manual grease guns and machines.

ITEM NO.	THREAD SPECIFICATION
SGN-3881	1/8" B.S.P.
SGN-3882	1/4" B.S.P.